



medDispense[®] medLogic[®]

Powered by

Flexibility. Security. Efficiency.

One software platform, countless hardware configurations all working together to give you safer and more efficient automation across your clinical workflow.

The medDispense[®] series gives you the control and flexibility to choose the most efficient way to safely store and dispense medications.

medDispense	L series	F series	V series	C series
Storage Locations	324	1,248	720	800 - 1,400
Single Dose Dispensing		\checkmark		
Bulk Storage			\checkmark	\checkmark
Progressive Drawer Access		\checkmark		
Pick-to-Light Guidance Technology	\checkmark	✓ *	\checkmark	
Steel Construction	\checkmark	\checkmark	\checkmark	
Single Item Control	\checkmark	\checkmark		\checkmark

* Pick-to-light technology only available on steel front doors.

KEY BENEFITS



The Value of medDispense®

Medication security and workflow efficiency are crucial to the medication delivery process. medDispense[®] provides the widest range of interchangeable dispensing hardware, powered by medLogicTM a fully-integrated software platform.

Flexible Configurations.

All medDispense[®] cabinets are interchangeable, giving you the most flexibility for storing your medications.



Easily Expand to Meet Your Changing Medication Storage Requirements

All medDispense[®] cabinets work together to meet both current and future needs.



Eliminate Space Constraint Challenges with an Array of Storage Size Options

Storage footprints available ranging from a small countertop units to larger cabinets for bulk storage.



A Wide Range of Configurations to Meet Your Capacity and Workflow Needs

Combine high security single dose dispensing alongside bulk storage. All medDispense[®] equipment can be integrated and is powered by medLogic[™].



Highly Configurable Software & Hardware

With medLogicTM, you can easily configure user settings and security measures alongside hardware compartment layouts, offering you maximum system flexibility.

Safe and Secure Dispensing.

Designed to reduce the risk of medication errors and provide secure storage, medDispense[®] ensures proper safeguards are in place for each item you dispense.

High Security Controlled Substance Storage

- Single dose dispensing with progressive steel drawers (complies with UK ECD regulations).
- Optional witness signature for removal, waste, return or override.
- Discrepancy tracking and notification.
- The medGuard[™] controlled substance management module provides system-wide visibility and management of controlled substance inventory. With closed loop delivery tracking.

Software Safeguards

- medLogic[™] powers all medDispense[®] cabinets with built-in safeguards such as precounts, patient medication profiles, receipt and label printing and configurable patient and medication searching.
- medGuard[™] controlled substance inventory management software provides a closed loop restocking process.
- Additional software safeguards:
 - Allergy alerts, duplicate dose alerts, bar code scanning, look-a-like sound alike alerts, tall man lettering.

Credentialed Access and Reporting

- All medications and supplies stored in a controlled, locked, and credentialed environment.
- The PharmacyCenter[™] software module provides visibility to remotely view and control inventory from the pharmacy.
- Control access to specific functions with user level permissions and role-based profiles.





Planning and Support

- Our Professional Services team works closely with you to ensure medication locations and security levels are optimized for your facility processes.
- System interfaces tailored by our Professional Services integrators.
- Remote technical support throughout the life of your equipment.

Workflow Efficiency.

With medLogic[™] nurses and pharmacy staff can work smarter, not harder. Software modules such as NurSync[™] and PharmacyCenter[™] help drive efficiency into your daily workflow.

TaurePort		NurSync MEDRICT	USER, S	SUPER	Leg Off
berkenig hove for Senith, Suman Localises (201) Policet 7 (2011)	Sprine Investigy Spatial Spatial or Based or Spatial or Based or Spatial or			-	ter investor
008. 1/1/2008	Generic Name	Brand Name	Strength	Form Iter	10 ×
Poplan Police	Rentantiti, (phone allowed) TEMPOLINE TIM	DOM/STIC TRACKING THE	IS NOSHE	14. 30	-
1 Komen Allergies	fordutty: (shorte shorte) 100MCC/VR The	DURAGESC 1004CGHB188	100.0052/448	14 302	os.
Last redriverse it Inc. Not. Inc. This Report represent	North ATVL (sharts allowing) STREEG FOR THE	DURAGETIC ETHICILI-H THE	17 MOLANT	754 ,002	
ATTACOURSE	Newslanders: Strangeland (Deal) SCARCE	teranos, terefis no	101405	na 2622	13
CETAL DYNAM 30%	FER LACCIALISTIC JP regime, est.	VENDRIK HOMO BU	100 1140	10	10
POLICIE ACCE	PERREVER BULFACTE DOMAG CO.	FER THREE CO.	300 840	65 200	142
Remove Second frem Rum Queue	POLICIVE ACCOR TWO CO.	HORE FOR QUE MAY CO.	1992	60. mit	* *
Add To Medicative Territorial Galaxy	Color New		Main Diene	Canal I	

NurSync™ create a queue



PharmacyCenter[™]station management

Internet.	Annochtera Più UID CABIN	
Annung Hanking Alarah ("Pittera "Annung Hanking") Annung Hanking Annung Hanking A	Balancian Trago Matalancia Sana Collegador Tran Sa Sana Sana Man Speed Industries	Count of a circle
Degineerstee	Tenner 1 (1 of 8 388) Watersam one Tee	

medLogic[™] item retrieval

Remote Medication Queuing

Maximize time spent with patients and minimize time spent at the ADC with NurSync[™] remote medication queuing right from your AccessRx MD[™] cart or networked workstation.

Improved Inventory Level Visibility Across All medDispense[®] Cabinets

Quickly and easily manage inventory and reduce stock outs across all medDispense[®] cabinets in your facility with PharmacyCenter[™].

Intuitive User Interface

Patient demographics, medication profile and formulary managed via custom HL7 interface. Easy to navigate user interface reduces time spent at the ADC.



AccessRx MD™


medLogic[™]

A complete continuum of integrated hardware and software that enables safe and efficient medication storage, dispensing and transport.



medLogic[™]Benefits.


The medLogic[™] software platform delivers increased efficiency and flexibility for your team and a safe environment for your patients.



The medLogic[™] software is user-friendly and easy to operate – saving time and allowing you to focus on patient care.




medLogic[™] modules improve workflow efficiency, safety and visibility so you can save time and focus on delivering exceptional patient care.



NurSync

The NurSync[™] module enables nurses to reduce time spent at the dispensing cabinet station and increase time spent with patients.



Easy as 1 - 2 - 3




Install the NurSync[™] module on a computer assigned to the ADC unit such as your AccessPoint[™] workstation.





[™] AccessPoint[™]





NurSync™ main menu

3

When you are ready, go to the medDispense[®] cabinet and retrieve items from your saved queue.



Dispense your medications

medGuard[™]

The medGuard[™] module enables facilities to store and track controlled substances from a secure, central location.



medGuard™ main menu

My Stations All	My Stations All Stations			Restock Report for All AC Station		
Search by Station Name						Stations Li
Station Name	Receder Point	Critical Lows	Stock-Outs	Last Restock	My Station	*
DCOP A8				1/26/2018 9/28/05 AM		
(OLD DDDP CD)						
DODP EF				3/5/2018 12:55:19 PM	í.	
PHARMACY NARC VAULT	5	4	4	3/6/2018 9.42.45 AM		
44 TO 64						
XXXX					-	
DALLAS PA STATION300				8/24/2018 3:36:30 PM	1	
CONCORDVILLE 302	1			9/6/2019 6:48:56 PM	×.	
CONCORDVILLE 303					1	

medGuard[™] med selection screen

Ensure Controlled Substances Reach Their Final Specified medDispense[®] Cabinet

- Helps close the loop of medication delivery and monitors for potential diversion with controlled restocking access and software safeguards.
- Discrepancy tracking ensures the retrieval quantity recorded in medGuard[™] matches the quantity restocked in the medDispense[®] cabinet.
- Optional end of shift counts with medGuard[™] provides additional traceability.

Easily View Controlled Substance Inventory of Your medDispense[®] Cabinets

- Create controlled substance restock reports for all cabinets.
- Control cabinet visibility by customizing user access.
- Global Item Locator and Global Inventory reports provide you instant access to your facility's controlled substance quantities and locations.
- Clear indicators of supply status at each medDispense[®] cabinet.



medDispense[®] V series with clear and steel **doors**.

Hardware Compatibility:

medGuard[™] can be installed on any medDispense[®] cabinet. medDispense[®] V series is particularly recommended for its configurable storage compartments.

PharmacyCenter[®]

The PharmacyCenter[™] module gives pharmacy the ability to manage medication across multiple medDispense[®] cabinets from one easy-to-use dashboard and reporting system.



PharmacyCenter[™] Advantage



PharmacyCenter[™] main menu

THEFT				-	. email	-	JANE DOE - Hog D
-	. 64	denait 1 Marc					Callour Selector
		¥ .					Calment 1-10
	Α.		÷.	. 9			
- 1 -	1.00	100	1.04	1.000	1.04	1.000	
- 1 -	-	-	-	ain .	-	-	
- 1 +		99. 1		3		1	1
- 1 -	1.000	-	8.0	100	· · ·	-	1
- 1 -	-	- Part	-	inget.	1.0	-	Tanco Filma
- 11 +	air -	-	444	Page 1	-	840	
- 1.	-	and it	-	-	-	-	Billion and and
- 1 -	-	-	+++	-	444	-	time the builder had
	2	-		-	-	-	Treben.

4										
****AccessCenter		Constant Proget				+			6 1 46	-
Andread Report (MC-10840)								-		
Long the	And the	-	-	-	-	-		ALC: NAME	ALC: N	-
(12.)		10041-012		-					-	
Manage and Mary States of Plan	10000000144800	-					÷	•		
and on the local bar water and the	- Cognition of the	signed dates.		-			-		M	
and comparing full on high	Pagette 14g 10	transi adal		1116						
and the owned with the lot				-	1.1					_
Concerning hereing	\$12+ 0mg 18	10000.000		10.18		2	*		11	
to particular by feel to i by	And the second s	10000 (11)			1.0				14.1	-
Non-H. Seiding Pril-414	inter minute	10001-001		1.44						
Advected beinting full with	Associate 24	100101		-	1				80	
Annual to ball the little and the	Public Long Tell	Tapati King		114					4	
summer that has been been been been been been been bee	Challenge and Challenge and	Constants.		100		-	100	100		
and its in success in the strength of	I shaled litting the	ingeni dan		10.00						
a direct of	unertrease.	-		100	4.00					_
supported they believe they be		second and				-	-		-	
summer the Divertee in a line of									- en e	
sature limiting fifth and top		1001001			100	200			ŝ.	
111 - 11 - 11 - 11 - 17 - 4p 11	Augustania (1) apitta	-		internet.				+		
ALCONTRACTOR D	http://www.litry/fit	14941-021		-	1.1					_
southing part that that I've	THE OWNER ADDRESS OF	444-111		1240			-			
Address of the local day is a week of	a prime being bei	- 14647.254		-		*	*	*		-
	Accession 1 and 100	and the		10.00						

Restock with Signature Report

taat/bit		Carr	harman Gent millio Türin	-			JANE DO	E in	14g 19	
on Perspectra	Al Dates			ineire		ntun	-			
		• [Date and		
		Caller Taylo	Dogine a	nder hang i	Hillow	Jain Date	and taken	to partice	1	
°0	•	041		18	1		MALINE AND			
an a Charles and A The state of	•	-181					-			
	•					1	Adulted Target Part			
	•	404					SALENS LIGHT PAL			
	•	ler.				1	10100		Н	
	•	10.00*1.0*					10000			
	•	404		**			1.011 M			
	•	S #88.0				10	ALCON.			
	• *	Constantion of the local diversion of the loc					10.011			

Manage Stations

Tastford	1.000	daria (Cart	-		JANE DO	H H	2
Name of Colorador	haiches -:	Din keye	distantia	-	Solution from	My Report	1
Report Landson	DECEMACES	Anavieral Des	Raine	Sely -	00.01		
INFACTOR -	11411210804C7686	President I	fame -	Daty -	-		
NAMES AND ADDRESS OF ADDRESS OF ADDRESS ADDRES	DEPENSI OVERICE CL	Previne	tune	Daily .	10000		
	INFORMATION CONTRACT CO.C.S.	Presson in	Terre .	Set.	100.00		
the superior balls the span	Musicical Musici	Not.	face	inere a	1140		4
and the second s			(14) (14) (15) (15)		- 1476 - 2497		

Report Scheduler

MEDLOGIC[™] SOFTWARE PLATFORM

The PharmacyCenter[™] module lets you manage and maintain your facility's automated dispensing cabinets from any PC.



Inventory management dashboard

Description Planning Control DANE DOE Log Off Control Net Net

Top usage report

Visibility and Management of Your Inventory Across All Cabinets

- Define specific storage locations for each medication or inventory item.
- Add, delete or modify a medication for the selected cabinet.
- Verify item numbers, descriptions and set drug class.
- Monitor low, out of stock, or expiring medications.
- Manage what medications can be overridden.

Reporting that Matters

- Report on key metrics that matter to your facility, such as: inventory, top usage, transactions, controlled medications, and more.
- Choose from predefined parameters or customize your own.
- Auto schedule to print or email reports
- Export report data
- Ad hoc custom reporting

Single item control accommodates a wide range of medication sizes that require higher safety and security than open compartments.

medDispense[®] L series







Secure Single Line Item Access

- Compartments are robust and incorporate high strength locks.
- Items held within the compartments are hidden to increase security and protect from light.
- Steel construction supports the NHS Controlled Substance requirements.



Efficient Dispensing Technology

- The pick-to-light technology makes it easier and faster to locate and dispense the selected items.
- Lights guide you to the correct:
 - Cabinet
 - Drawer
 - Compartment

The medDispense® L series integrates with: C series, CS series, CT series, F series and V series.



High Capacity Configurations

- Single line item dispense. Nine different lid compartment sizes.
- Matrix drawer with four different depths (75mm, 100mm, 150mm and 200mm) to accommodate a range of medications.





medDispense[®] System L series





Max Unit Capacity	252	324
Unit Dimensions	Width: 817mm (32.2in) Depth: 775mm (30.5in) Height: 965.2mm (38in)	Width: 817mm (32.2in) Depth: 775mm (30.5in) Height: 1,168.4mm (46in)
Weight	350kgs (771.6lbs)	440kgs (970.03lbs)
Max Number of Drawers	7	9
Material Construction	Steel frame and drawers.	Steel frame and drawers.

L series Drawer and Storage Options

Multiple Lid Compartment Configurations

Module	Height	Width	Length	Volume
1x1	55mm (2.2in) 105mm (4.1in)	99mm (3.9in)	66mm (2.6in)	359.4cm ³ (22.3in ³) 686.1cm ³ (41.6in ³)
2x1	55mm (2.2in) 105mm (4.1in)	198mm (7.8in)	66mm (2.6in)	718.7cm ³ (44.6in ³) 1,372.1cm ³ (83.1in ³)
3x1	55mm (2.1in) 105mm (4.1in)	299mm (11.8in)	66mm (2.6in)	1,085.4cm ³ (67.5in ³) 2,072.1cm ³ (125.8in ³)
2x2	55mm (2.2in) 105mm (4.1in)	198mm (7.8in)	163mm (6.4in)	1,775.1cm ³ (109.8in ³) 3,388.8cm ³ (204.7in ³)
3x2	55mm (2.2in) 105mm (4.1in)	299mm (11.8in)	163mm (6.4in)	2,680.5cm ³ (166.1in ³) 5,117.4cm ³ (309.6in ³)
3x3	55mm (2.2in) 105mm (4.1in)	299mm (11.8in)	260mm (10.2in)	4,275.7cm ³ (264.8in ³) 8,162.7cm ³ (493.5in ³)
6x1	55mm (2.2in) 105mm (4.1in)	599mm (23.6in)	66mm (2.6in)	2,174.4cm ³ (135in ³) 4,151.1cm ³ (251.6in ³)
6x2	55mm (2.2in) 105mm (4.1in)	599mm (23.6in)	163mm (6.4in)	5,370cm³ (332.3in³) 10,251.9cm³ (619.3in³)
6x3	55mm (2.2in) 105mm (4.1in)	599mm (23.6in)	260mm (10.2in)	8,565.7cm³ (529.6in³) 16,352.7cm³ (987in³)

Matrix Drawer Configurations

Module ⁽¹⁾	Height (internal)	Width	Length	Volume
Matrix 75	55mm (2.2in)	675mm (26.6in)	625mm (24.6in)	23,203.1cm ³ (1,439.6in ³)
Matrix 100* ⁽²⁾	80mm (3.2in)	675mm (26.6in)	625mm (24.6in)	33,750cm ³ (2,094in ³)
Matrix 150 ⁽²⁾	130mm (5.1in)	675mm (26.6in)	625mm (24.6in)	54,843.8cm ³ (3,337.2in ³)
Matrix 200	180mm (7.1in)	675mm (26.6in)	625mm (24.6in)	75,937.5cm ³ (4,646in ³)

* Standard Configuration


(1) Maximum number of sections is 156

(2) These sizes are available in lidded drawers.

The highest level of security with single dose dispensing to ensure access to only the quantity requested.

medDispense[®] F series





Highest Security Medication Dispensing

- Single dose steel compartments with up to 12 progressive drawer compartments to ensure access only to the medication requested.
- Steel construction supports the NHS Controlled Substance requirements.

Highly Configurable and Expandable

- Up to 15 different drawer sizes to accommodate the desired security level and item size.
- Supports three dispensing types:
 - Single-dose
 - Single-item
 - Linear/Matrix
 - Multi-mode

Efficient Dispensing Technology

- The pick-to-light technology makes it easier and faster to locate and dispense the selected items.
- Lights guide you to the correct:
 - Cabinet
 - Drawer

The medDispense® F series integrates with: C series, CS series, CT series, L series and V series.

18 TouchPoint



Optional Adjustable Monitor Arm and Keyboard Tray

- External arm mount for monitor display.
- Left or right mounting options.
- Ergonomic positioning, forward and back adjustment.
- Keyboard folds up and out of the way.



Keyboard Storage

- Drawer stores and secures keyboard until ready for use.
- Features a built-in full size keyboard.
- Available on the standard or the countertop.





medDispense[®] System F series

Max Unit Capacity	1,248	1,248	384
Unit Dimensions	Auxiliary Unit: Width: 545mm (21.5in) Depth: 520mm (20.5in) Height: 2,003mm (78.6in)	Base Unit: Width: 545mm (21.5in) Depth: 520mm (20.5in) Height: 2,003mm (78.6in)	Base Unit: Width: 545mm (21.5in) Depth: 520mm (20.5in) Height: 660.4mm (26in)
Weight	245kgs (540lbs)	245kgs (540lbs)	128kg (282lbs)
Number of Levels in Cabinet	28	25	8
Material Construc- tion	Steel frame and drawers.	Steel frame and drawers.	Steel frame and drawers.

Drawer Type (Rows Occupied)	Height	Width	Volume
A (1)	23mm (0.9in)	97mm (3.8in)	765.2cm ³ (46.2in ³)
AT (1.5)	49mm (1.9in)	96mm (3.8in)	1,613.5cm ³ (97.5in ³)
AA (1)	23mm (0.9in) 23mm (0.9in)	250mm (9.8in) 97mm (3.8in)	1,972.3cm ³ (119.1in ³) 765.2cm ³ (46.2in ³)
B (2)	68mm (2.7in)	97mm (3.8in)	2,262.4cm ³ (138.5in ³)
BB (2)	68mm (2.7in) 68mm (2.7in)	250mm (9.8in) 97mm (3.8in)	5,831cm ³ (357.2in ³) 2,262.4cm ³ (138.5in ³)
C (1)	23mm (0.9in)	164mm (6.5in)	1,293.8cm ³ (79in ³)
CT (1.5)	49mm (1.9in)	170mm (6.7in)	2,857.2cm ³ (171.9in ³)
D (2)	68mm (2.7in)	175mm (6.9in)	4,081.7cm ³ (251.5in ³)
E (1)	23mm (0.9in)	394mm (15.5in)	3,108.3cm ³ (188.3in ³)
F (2)	68mm (2.7in)	394mm (15.5in)	8,140.1cm ³ (565in ³)
G (3)	120mm (4.7in)	394mm (15.5in)	16,217cm ³ (983.5in ³)
H (4)	173mm (6.8in)	394mm (15.5in)	23,649.9cm ³ (1,443.8in ³)
J (4)	173mm (6.8in)	175mm (6.9in)	10,204.3cm ³ (624.1in ³)
Z (1)	23mm (0.9in)	55mm (2.2in)	433.9cm ³ (744.5in ³)
ZT (1.5)	49mm (1.9in)	60mm (2.4in)	1,008.4cm ³ (61.6in ³)

Interior Drawer Dimensions

Length of the drawers 343mm (13.5") Maximum number of columns for all units is 12. Base unit has 26 rows (25 plus one for keyboard) Auxiliary unit has 28 rows

Z		Z	Z		Z
A		A		А	
	A	А			А
В		E	3		В
	В	В			В
(2			(c
[)			[D
ZT*	2	ZT*	ZT*		ZT*
AT*		A	Т*	AT*	
СТ	*		CT*		
	F				
G					
н					
	J				J

Т

Non-standard drawer sizes available on request. *AT, CT, and ZT drawers must be used in pairs.

Storage and traceability of bulk medications and supplies.

medDispense[®] V series



V series with steel doors

The medDispense® V series integrates with: C series, F series and L series..



Secure Easy Identification

- Reduced product consumption and lower inventory costs.
- Control a range of large or bulky items.
- Enhanced visibility when configured with a clear front door.

Efficient Dispensing Technology

- The pick-to-light technology makes it easier and faster to locate and dispense the selected items.
- Lights guide you to the correct:
 - Cabinet
 - Door

Large Volume Capacity

- Up to nine secure compartments per column.
- Multiple products/SKUs per door.



V series triple cabinet with solid doors



V series with clear doors

Security and Privacy

- Steel frame construction.
- Clear front door or metal door options.

Configurable Cabinets

- Three standard door sizes can be mixed within one frame to optimize capacity.
- Triple cabinet option available in solid and clear doors.

Ideal for Central Pharmacy Controlled Substance Storage

• Combined with the medGuard[™] module, the V series provides a closed loop solution for your controlled substance management.




Antimicrobial Protection

medDispense[®] System V series





Max Unit Capacity	720	720
Unit Dimensions	Clear Door: Width: 375mm (14.8in) Depth: 524mm (20.6in) Height: 2,030mm (80in)	Steel Door: Width: 375mm (14.8in) Depth: 524mm (20.6in) Height: 2,030mm (80in)
Weight	Single Cabinet: 55kgs (110lbs) Triple Cabinet: 175kgs (386lbs)	Single Cabinet: 55kgs (110lbs) Triple Cabinet: 175kgs (386lbs)
Material Construction	Steel frame with polycarbonate doors.	Steel frame and metal doors.



V series Doors and Storage Options

8 types of units available, each with a specific number of compartments.

Triple Cabinet Configuration

Module	Configuration
S1	9 large doors
S2	18 medium doors
S2S	6 medium single doors
S3	27 small doors
S3S	9 small single doors
S4	9 small doors, 6 medium doors, 3 large doors
S4S	1 large, 2 medium, and 3 small single doors
S5	12 small doors, 8 medium doors, 1 large door

Steel door cabinets made in all layouts. Clear door cabinets can only be made in S2, S3, and S4 layouts.


Door Sizes

Door Size	Small	Medium	Large
Height	154mm (6.1in)	254mm (10in)	515mm (20.3in)
Width	320mm (12.6in)	320mm (12.6in)	320mm (12.6in)
Depth	480mm (19in)	480mm (19in)	480mm (19in)
Volume	23,654.4cm ³ (1,460.3in ³)	39,014.4cm ³ (2,394in ³)	7,910.4cm ³ (4,859.8in ³)

Customizable capacity - from configurable linear drawers to high capacity bulk storage.

medDispense[®] **C** series







Matrix drawer

C series with clear doors and drawer system

Bulk Storage in a Smaller Frame

- Bulk storage or large items can be securely stored and dispensed.
- Configurable bins and shelves to fit an array of bulk items.
- Comes with standard overbridge.

Drawer System

- · Single wide linear.
- Double wide linear.
- Matrix drawers available in single, double and triple depth.
- Compact depth cabinets equals 7 sections per drawer and full depth cabinets equals 10 sections per drawer.

Lighting Preferences

• Interior illumination with three brightness levels.



Countertop C series

The Smallest of the medDispense® Cabinets

- The compact countertop unit • fits virtually anywhere.
- Ideal for areas with lower ٠ capacity needs.
- 84 maximum unit capacity.



medDispense[®] System C series

Max Unit Capacity	84	700	800	600
Unit Dimensions	Width: 685.8mm (27in) Depth: 558.8mm (22in) Height: 668mm (26.2in) *	Full Depth: Width: 685.8mm (27in) Depth: 711mm (28in) Height: 1,550mm (61in) Compact: Width: 685.8mm (27in) Depth: 588.8mm (22in) Height: 1,550mm (61in)	Full Depth: Width: 685.8mm (27in) Depth: 711mm (28in) Height: 1,550mm (61in) Compact: Width: 685.8mm (27in) Depth: 588.8mm (22in) Height: 1,550mm (61in)	Full Depth: Width: 685.8mm (27in) Depth: 711.2mm (28in) Height: 1,550mm (61in) Compact: Width: 685.8mm (27in) Depth: 588.8mm (22in) Height: 1,550mm (61in)
Weight	66-73kgs (146-162lbs)	159.2-221.8kgs (351-489lbs)	221.4kgs-344.3kgs (488-759lbs)	89.8-101.2kgs (198-223lbs)
Max Number of Drawers	12	30	60	NA
Material Construction		Steel frame with polymer	drawers and metal doors.	

* Height measured up to the top of the monitor. Add an additional 234.9mm (9.25in) for overbridge option.

Expand capacity while combining the security of configurable linear drawers and bulk supply storage.

medDispense[®] CT series







High Capacity Bulk Storage


- Store up to 1,400 items in one cabinet.
- Credentialed access for bulk items.
- Configurable bins and shelves to fit an array of bulk items.
- Metal door option adds an additional level of privacy and security.

Multiple Sizes to Flex with Storage Needs

- Provides security and capacity in a range of sizes:
 - Full height and half height
 - Full or compact depth
 - Countertop

Full height CT series with clear doors





Full height CT series with clear doors





Countertop CT series

Half height CT series with clear doors

Countertop Sized Dispensing Expansion

- Ideal for small countertop locations that need additional capacity.
- 112 maximum unit capacity.


High Capacity Expansion in a Smaller Footprint

- Dispense up to 800 items per unit.
- Choice of full or compact depth.



Antimicrobial Protection

medDispense[®] System CT series



 Material
 Steel frame with polymer drawers and metal doors.

* Height measured up to the work surface. Add an additional 431.8mm (17in) for overbridge option.

CT series Drawer and Storage Options

Interior Drawer Dimensions

Drawer Type	Length	Width	Height	Volume
Single Width Linear Compact	347.7mm (13.7in)	83.3mm (3.3in)	55.1mm (2.1in)	1,596.1cm ³ (97.4in ³)
Single Width Linear Full Depth	500.1mm (19.7in)	83.3mm (3.3in)	55.1mm (2.1in)	2,295.8cm ³ (140.1in ³)
Double Width Linear Compact	347.7mm (13.7in)	188.0mm (7.4in)	55.1mm (2.1in)	3,601.9cm ³ (219.8in ³)
Double Width Linear Full Depth	500.1mm (19.7in)	188.0mm (7.4in)	55.1mm (2.1in)	5,919.0cm ³ (316.2in ³)
1 Deep Matrix Compact	366.3mm (14.4in)	596.1mm (23.5in)	58.2mm (2.3in)	12,700cm ³ (775in ³)
1 Deep Matrix Full Depth	518.7mm (20.4in)	596.1mm (23.5in)	58.2mm (2.3in)	17,976.7cm ³ (1,097in ³)
2 Deep Matrix Compact	366.3mm (14.4in)	596.1mm (23.5in)	142mm (5.6in)	31,004.4cm ³ (1,892 in ³)
2 Deep Matrix Full Depth	518.7mm (20.4in)	596.1mm (23.5in)	142mm (5.6in)	43,901.0cm ³ (2,679in ³)
3 Deep Matrix Compact	366.3mm (14.4in)	596.1mm (23.5in)	225.8mm (8.9in)	49,308.8cm ³ (3,009in ³)
3 Deep Matrix Full Depth	518.7mm (20.4in)	596.1mm (23.5in)	225.8mm (8.9in)	69,825.4cm ³ (4,261in ³)

Add additional capacity to secure bulk supply and other large items.

medDispense[®] CS series







Full height CS series with clear doors

Full height CS series with metal doors



- Configurable bins and shelves to fit an array of bulk items.
- Combine with the medGuard[™] software for secure controlled substance storage.
- Metal door option adds an additional level of privacy and security.

Lighting Preferences

• Interior illumination with three brightness levels.



Half height CS series with clear doors

Multiple Sizes to Flex with Storage Needs

- Provides security and capacity in a range of sizes:
 - Full height and half height
 - Full or compact depth





Antimicrobial Protection

medDispense[®] System CS series

Max Unit Capacity	600	600	1,200	1,200
Unit Dimensions	Full Depth: Width: 685.8mm (27in) Depth: 711mm (28in) Height: 1,118mm (44in)* Compact: Width: 685.8mm (27in) Depth: 558.8mm (22in) Height: 1,118mm (44in)*	Full Depth: Width: 685.8mm (27in) Depth: 711mm (28in) Height: 1,118mm (44in) * Compact: Width: 685.8mm (27in) Depth: 558.8mm (22in) Height: 1,118mm (44in) *	Full Depth: Width: 685.8mm (27in) Depth: 711mm (28in) Height: 1,981mm (78in) Compact: Width: 685.8mm (27in) Depth: 558.8mm (22in) Height: 1,981mm (78in)	Full Depth: Width: 685.8mm (27in) Depth: 711mm (28in) Height: 1,981mm (78in) Compact: Width: 685.8mm (27in) Depth: 558.8mm (22in) Height: 1,981mm (78in)
Weight	73.5-84.8kgs (162-187lbs)	73.5-84.8kgs (162-187lbs)	119.7-136.1kgs (264-300lbs)	119.7-136.1kgs (264-300lbs)
Material Construction	Steel frame with polymer doors.	Steel frame and metal doors.	Steel frame with polymer doors.	Steel frame and metal doors.

* Height measured up to the work surface. Add an additional 431.8mm (17in) for overbridge option.

medDispense[®] Accessories.

Equipment changes over time and our line of accessories can be added or removed to fit your application needs.



Remote Lock

Add access control for non-medDispense[®] storage cabinets. Remote Lock Bluetooth option.



Remote Lock with Temperature Monitoring

External refrigerator access control lock with temperature monitoring, integrated with the medLogic[™] software. Remote Lock Bluetooth options.

External Return Bin

Manage return medications with the external return bin that can be mounted to the overbridge. Available on the L, F and C series.



Return Drawer

Integrated return drawer within the drawer system providing more security around the return process. Available on C and CT series cabinets in single or double width.



Overbridge

Increase storage space for all units. Available in full height and standard height on the C, CS and CT series.



Barcode Scanner

Enhanced workflow using an integrated, wireless barcode scanner. Available on L, F, and C series.



Bulk Storage Bins

Available for C, CS and CT series in multiple sizes for supply locations.



Thermal Printer

Add a thermal printer for patient and dispense specific transaction receipts. Available on L, F, and C series.



Label Printer

Add a label printer to print medication and patient specific labels. Available on the L, F and C series.



Finger Print Scanner

Secured biometric system access. Comes standard on all medDispense base units.



CSA testing is approved to support global regulatory requirements. Manufactured in ISO certified facilities.

Fast. Responsive. Courteous Service.

We are committed to providing you with consultative and responsive support throughout our partnership together.





Contact your TouchPoint Medical representative to learn more and discuss additional accessories specific to your medication management application. Visit **touchpointmed.com/contact** to get in touch with your local representative.



A Global Business with a Local Touch

TouchPoint Medical brings a global network of manufacturing, quality, and engineering to the forefront of the medical industry. From quality and performance, to aesthetics and ergonomics, we know small touches make a big difference to our customers. We provide customer-driven medical technology and service solutions to thousands of hospitals and health care facilities around the world.



BRINGING CARE FORWARD.™