



## Point of Care Solutions

Workstations on Wheels  
Wall Mounts  
Medication Delivery Carts





At TouchPoint Medical, we are committed to developing customer-driven solutions that advance healthcare professionals' delivery of care.

**We are a global provider of innovative and intelligent Point of Care and Medication Management Solutions to thousands of hospitals and health care facilities around the world.**

Our Point of Care portfolio continues to expand and evolve to meet healthcare professionals' clinical and IT needs. From wall mounted solutions to our mobile medication delivery carts, we are committed to delivering solutions that advance the delivery of care by providing reliable products and dependable customer support throughout your partnership with TouchPoint Medical.

*BRINGING CARE FORWARD.™*



AccessPoint™



workFLO™



AccessRx MD™



AccessRx Exchange™



AccessRx Secure™



AccessPoint™



AccessMonitor™

## Mobile Point of Care Solutions

---

<b>Workstations on Wheels</b>	<b>6</b>
AccessPoint	6
workFLO	16
 <b>Medication Delivery Carts</b>	 <b>20</b>
AccessRx MD	22
AccessRx Exchange	24
AccessRx Secure	36
 <b>Equipment Carts</b>	 <b>28</b>
AccessPoint	28

## Stationary Point of Care Solutions

---

<b>Mounting Solutions</b>	<b>32</b>
AccessMount	32



## AccessPoint™

The Ultimate in Ergonomics,  
Flexibility and Long-term value.

AccessPoint™ workstations on wheels provide an ergonomic solution for caregivers, a flexible technology platform for IT and a reliable long-term equipment investment for healthcare facilities.



**AccessPoint™**

## The AccessPoint™ Series Specifications

### Work Surface Height Adjustment Range

914mm - 1219mm (36in - 48in)

### Work Surface Area

1723cm<sup>2</sup> (267in<sup>2</sup>)

### Workstation Footprint

425mm x 445mm (16.75in x 17.5in)

### Construction

- Powder-coated, cast aluminum with Microban® infused antimicrobial protection.
- Anodized extruded aluminum column.
- Polymer work surface and touch points with Microban® infused antimicrobial protection.



### Casters

Four, single wheel 5" casters: 3 braking, 1 directional/tracking

### Power Options AC Powered / DC Powered

- LiFe (Lithium-Iron Phosphate) or Li-Nano (Lithium-Iron Nanophosphate) battery options
- Can be configured to be powered by direct current (DC), alternating current (AC), or a combination of the two.
- Our DC optimized power with selectable voltage delivers 20% greater efficiency than other AC options on the market
- Also available as a non-powered cart

## KEY BENEFITS



Advanced Li-Nano Technology with 5 Year Warranty



Ergonomic Design Elements



Fan/Fanless Charging Options



Universal & Expandable Tech Tray



Field Upgradeable



Corrosion Resistant Finishes

## Maximize your workflow & your investment.

AccessPoint™ workstations stand the test of time with easily configurable options to adjust to your changing clinical and IT requirements.



**Single Monitor  
Workstation**



**Laptop  
Workstation**



**Dual Monitor  
Workstation**



**Telehealth  
Workstation**

### Maximum Flexibility

- Reduce downtime and tailor to your changing needs with our field-upgradeable design
- Field-upgradeable options include: BCMA, telehealth, dual monitors, medication management storage

### Cleaner by Design

- Our exclusive Microban™ antimicrobial protection is infused into each workstation rather than topically applied, to ensure long-term protection
- Fanless charging mode reduces circulation of dust, debris and other harmful contaminants while creating a quieter environment for your patients
- Advanced polymer construction and proprietary finishes provide corrosion resistance

### Designed with the Future in Mind

- Support many technology form factors with our universal tech tray and expandable side bay
- Easily configured technology integration for AC, DC, or both
- Extend the life of your workstations with our battery-only replacement option. Choose a battery chemistry that fits your workflow and budgetary needs, with the ability to upgrade later to a more advanced chemistry

### Simplicity for the Long Haul

- A high level of commonality across AccessPoint™ replacement parts and components help simplify the service and maintenance of your entire fleet



## Monitor and Manage your investment.

With AccessMonitor™ performance monitoring software, a field upgradeable design and battery only replacement options, you can monitor and manage the performance of your fleet of workstations.



## AccessMonitor™

AccessMonitor™ web-based dashboard system delivers access to workstation performance data to streamline fleet management and increase workstation uptime.

- Scalable system design to support anywhere from 1 to over 1,000 workstations with easy-to-use group controls
- Automatic workstation visibility and set-up
- Reporting features include: power usage rates, real-time updates on user & alert management

## Expand your delivery of care and evolve your capabilities.

AccessPoint™ workstations can help you achieve your interoperability and telehealth adoption goals with our flexible technology integration and reliable design.




### AccessPoint™ Telehealth Workstation on Wheels

- Supports larger monitor formats with dual monitor options available
- One-way and two-way video conferencing technology
- High resolution cameras to review patient condition
- Wireless LAN bridge to enable wireless connectivity



### AccessPoint™ Dual Monitor Workstation on Wheels

- Enables remote delivery of specialized care and timely diagnostics
- Monitor arms simultaneously fold inward with one hand to easily fit through doors or tight spaces
- Monitor configuration provides separate viewing access for caregiver and patient
- Mount a video or web camera above the monitor, facing forward; camera travels with the monitor through its entire range of motion
- Front storage options are perfect for critical diagnostic equipment



## Ergonomics & Safety go hand-in-hand.

Our workstations are designed to adjust for the caregiver, giving them the ultimate in user comfort, convenience and flexibility.



### **Ergonomic Design Features**

Meets the Cornell University Healthcare Cart Ergonomic Standards 35-point checklist measuring ease of use, safety and effectiveness of the cart.



### **Fully-Adjustable Display Mount**

Raise, lower, tilt, swivel or rotate the monitor to find the ideal viewing angle, including a bifocal friendly angle if needed. Monitor can also be lowered to provide enhanced visibility while traveling room to room.



### **Antimicrobial Work Surface**

Large, adjustable work surface with TouchPoint Medical-exclusive infused MICROBAN® antimicrobial protection.



### **Capacitive Touch Keypad**

Easily manage task lighting, battery level, e-lift control and computer power, even while wearing several pairs of gloves.



### **Integrated Footrest**

Designed for maximum comfort and durability, the integrated footrest helps reduce fatigue and allows nurses to relax in a more ergonomic position throughout the day.



### **Fully-Adjustable Keyboard Tray**


Provides the widest range of ergonomic adjustment:

- 10° of positive tilt
- 20° of negative tilt
- 180° of rotation
- 177mm (7in) of independent height adjustment



### **Fanless Charging**

The quiet fanless charging mode reduces the circulation of dust, debris and other harmful contaminants while quietly recharging your system in 3 hours.




### **Stability & Flexibility**

The robust column and cart design provides a stable workstation to accommodate a variety of display, storage and accessory options.

## Ensuring Uptime for Caregivers, shift after shift.

Engineered to deliver elite performance & long-term value.  
Our power system is designed and manufactured to withstand the day-to-day rigors of today's healthcare environment.

Our advanced Li-Nano batteries deliver **2X the life** of typical LiFe batteries so you can focus on delivering care, not on managing your equipment. Plus, its long life and ease of being recycled make it a greener battery choice for healthcare facilities.



	LiFe Lithium-Ion Phosphate (LiFePO <sub>4</sub> )	Li-Nano Lithium-Ion Nanophosphate
<b>Battery Life</b>	2,500+ Cycles	5,000+ Cycles
<b>Battery Runtime (@35watts)</b>	13 Hours*	13 Hours*
<b>Charging Status Indications</b>	Continuous readout on LEDs; BatteryPro software	Continuous readout on LEDs; BatteryPro software
<b>Recharge Time</b>		
Fast Charge (Fan)	2 Hours	2 Hours
Silent Charge (Fanless)	3 Hours	3 Hours
<b>5 Year Replacement</b>	1	0
<b>Battery Capacity</b>	512Wh	512Wh
<b>Input Voltage</b>	100-240 VDC @ 4.5 amps, max	100 - 240 VDC @ 4.5 amps, max
<b>Output Voltage DC</b>	10.5-16V unregulated 12-12V selectable 5-10V selectable	10.5-16V unregulated 12-12V selectable 5-10V selectable
<b>Optional AC</b>	120V, 60Hz, 150W	120V, 60Hz, 150W
<b>Power</b>	150W; 200W peak	150W; 200W peak
<b>Battery Warranty</b>	3 Years	5 Years

\*Actual runtime may vary depending on several factors such as technology configuration, battery age, usage pattern and power supply model/battery option. Runtime is based on continuous use using 35 watts.

## Everything you need - Accessible and Available.


Our accessories help improve your workflow with effective ways to store, hold, and secure the items you rely on everyday.

### Supply Storage & Organization


Effectively manage your supplies with a variety of bins, baskets and drawer options we offer.



**Storage Drawers  
with Lock**  
AP-AFSUDDCABINET



**Storage Basket  
254mm (10in)**  
AP-AL10STORBASKET



**Chart Holder**  
AP-ALSCHARTH

### Peripheral Equipment

Configure your workstations with the necessary equipment for your specific applications.



**Signature Pad**  
AP-SIGNPAD



**Barcode Scanners**  
AP-ASWHHP1902HD



**Keyboard, iRocks Backlit**  
AP-AKBACKLIT

### Medication Management

Increase security and accountability of medications all the way to the patients' bedside.



**Locking Exchangeable  
Medication Cassettes**



**Individual, Patient  
Specific Locking  
Medication Storage**




**Standard Sharps  
Container Holder**  
AP-ALSSHARPSH

### VESA & Accessory Rail Mounted Solutions


Securely mount your peripherals and supplies with an array of mounting solutions.



**VESA Camera Mount**  
AP-ACAM-VESA



**Sharps Container Holder**  
AP-ALSSHARPH-02



**Wipe Holder Kit, Small**  
AP-AWIPEHOLDER-SM

Ask your TouchPoint Medical Representative about additional accessories to meet your workflow and storage requirements.

## Fully Integrated. Fully Confident.

Allow our experts to seamlessly integrate and deploy your new workstations with our UL certified hardware integration solution.



We take equipment from this...



...To this

### KEY BENEFITS



Ready to deploy  
to your team upon  
arrival



Hardware is ETL  
Listed and Conforms  
to UL 60601-1\*



2 Year Standard  
Warranty\*\*



Installation of  
BatteryPro  
Monitoring Software



Multi-Vendor  
Support - One Point  
of Contact



Provide Your Own  
Equipment or  
Purchase Through us


*\*Our hardware is ETL Listed. Conforms to UL 60601-1. CAN/CSA C22.2 n0.601.1 and IEC/EN 60601-1-1 medical safety standards*

*\*\*2 Year Standard Warranty on ALL TouchPoint Medical furnished equipment (including computers and peripherals)*



## Protect Your Investment with our Enhanced Service Program.

Allow our experts to seamlessly integrate and deploy your new workstations with our UL certified hardware integration solution. Choose the plan that is right for you, whether it's focused on minimizing downtime, reducing unplanned maintenance costs or freeing up valuable support personnel.



### **ADVANCE**

#### Deployment Services

- On-site installation
  - Unpack and integrate and attach accessories
  - Set up wake-on power
  - Install software
  - Perform quality inspection and functionality audit
  - Staging of rollout
- On-site Training
- Per cart pricing, 10 cart minimum



### **MAINTAIN**

#### Preventative Maintenance

- You choose the number of Preventative Maintenance visits per year.
- Our trained technicians will arrive on site and conduct a comprehensive multi-point inspection which covers the cart, power supply and battery (if applicable)
- After the PM is performed the technician will fill out a form (by serial number) listing which carts passed or failed and what needs to be repaired



### **ASSURANCE**

#### Extended Warranties

- Choose from:
  - Parts Only coverage
  - On-Site Service (Parts & Labor)
- Available in 3 and 5 year terms
- New or existing carts (up to one year from the date of purchase)
- Additional discount available if purchased at the same time of the cart purchase



Contact your TouchPoint Medical representative to learn more and discuss these service program options. Visit [touchpointmed.com/contact](https://touchpointmed.com/contact) to get in touch with your local representative.



## workFLO™

Maneuvering through  
your workflow with ease.

The workFLO™ product solutions deliver elegant simplicity  
for today's fast-paced healthcare environment.





workFLO™

	Single Monitor/ All-in-One Workstation	Laptop Workstation	Documentation Workstation Adjustable Height	Documentation Workstation Fixed Height	Device Mount Roll Stand
Height Adjustable	✓	✓	✓		
Antimicrobial Surfaces	✓	✓	✓	✓	✓
Additional Accessories	✓	✓	✓	✓	✓
Tracking Caster for Easy Mobility	✓	✓			

With a lightweight and streamlined design, the workFLO™ series supports and enhances delivery of care.

#### KEY BENEFITS



Computer Security  
Options



Antimicrobial  
Surfaces



Lightweight  
Design



Accessory  
Portfolio



Easy Height  
Adjustment



Stable  
Maneuverability

From single monitor workstations to device stands, workFLO helps deliver better patient experiences through its streamlined and easy-to-manuever design.



### SINGLE MONITOR / ALL-IN-ONE WORKSTATION WF-CSX-AH

**Height Adjustment Range:** 898-1198mm (35-47in)  
**Weight Capacity:** 10kgs (22lbs)  
**Lift Mechanism:** Gas spring push button actuation  
**Work Surface:** Antimicrobial work surface on all composite and powder coated materials  
**Tech Bay:** Key lock computer security with universal key. Optional key codes available  
**Casters:** 127mm (5in) – 3 locking, 1 directional/ tracking caster for ease of mobility  
**Mounting Options:** Single Monitor, Secure (no drift) positioning with Tilt/Swivel VESA 75/100 mount, or Tablet mount  
**Main Material:** Aluminum alloy/Stainless steel/ ABS(VO)  
**Cart Weight:** 29.9kgs (66lbs)  
**Cart Footprint:** 538mm x 574mm (21.19in x 22.58in)



### LAPTOP WORKSTATION WF-CLX-AH

**Height Adjustment Range:** 898-1198mm (35-47in)  
**Weight Capacity:** 10kgs (22lbs)  
**Lift Mechanism:** Gas spring push button actuation  
**Work Surface:** Antimicrobial work surface on all composite and powder coated materials  
**Tech Bay:** Key lock computer security with universal key. Optional key codes available  
**Casters:** 127mm (5in) – 3 locking, 1 directional/ tracking caster for ease of mobility  
**Mounting Options:** Laptop with optional security bracket  
**Main Material:** Aluminum alloy/Stainless steel/ ABS(VO)  
**Cart Weight:** 27.7kgs (61lbs)  
**Cart Footprint:** 538mm x 574mm (21.19in x 22.58in)



### DOCUMENTATION WORKSTATION ADJUSTABLE HEIGHT WF-RLX-AH

**Height Adjustment Range:** 800-1050mm (31.5-41.5in)  
**Weight Capacity:** 8kgs (17.6lbs)  
**Lift Mechanism:** Gas spring push button actuation  
**Work Surface:** Antimicrobial work surface on all composite and powder coated materials  
**Casters:** 62.5mm (2.5in) – 5 locking  
**Mounting Options:** Laptop with power adapter containment basket, standard; optional laptop security bracket and tablet mount  
**Main Material:** Aluminum alloy/Stainless steel/ ABS(VO)  
**Cart Weight:** 12.7kgs (28lbs)  
**Cart Footprint:** Ø604.5mm (Ø23.8in) maximum



### DOCUMENTATION WORKSTATION FIXED HEIGHT WF-RLX-FH

**Height Adjustment Range:** 1000mm (39.5in)  
**Weight Capacity:** 10kgs (22lbs)  
**Work Surface:** Antimicrobial work surface on all composite and powder coated materials  
**Casters:** 62.5mm (2.5in) – 5 locking  
**Mounting Options:** Laptop with power adapter containment basket, standard; optional laptop security bracket and tablet mount  
**Main Material:** Aluminum alloy/Stainless steel/ ABS(VO)  
**Cart Weight:** 9.1kgs (20lbs)  
**Cart Footprint:** Ø 604.5mm (Ø23.8in) maximum



### DEVICE MOUNT ROLL STAND WF-RDM-FH

**Height Adjustment Range:** 1065mm (42in) with rear handle  
**Weight Capacity:** 15kgs (33lbs)  
**Casters:** 62.5mm (2.5in) – 5 locking  
**Mounting Options:** Side Plate  
**Main Material:** Aluminum alloy/Stainless steel  
**Cart Weight:** 5.4kgs (12lbs)  
**Cart Footprint:** Ø 604.5mm (Ø23.8in) maximum

Equipment changes over time and our line of accessories can be added or removed to fit your application needs.



**Side Supply Bin Kit**  
WF-SSUPBIN




**Rear Supply Bins Kit**  
WF-RSUPBINS



**Rear Supply Basket, Polymer**  
WF-RSUPBASK-P



**Extended Rear Handle, Steel**  
WF-EXRHAND



**Front Supply Basket, Wire**  
WF-FSUPBASK-W



**Tablet, Surface Mount**  
AM-TABMNT-S



**VESA Mount, Tilt/Swivel**  
WF-VESA-MNT



**VESA Mount, Light Duty**  
WF-VESA-MNT-LT



**Tablet Mount, Tilt/Swivel**  
WF-TAB-MNT



**Drawer, Single, Locking**  
WF-DRWR-SL




**Bracket, Scanner Cradle, Code 2600**  
WF-SCNBRKT-CD2600



**Bracket, Printer, Zebra QLN220**  
WF-PBRKT-ZQLN2




**e-Signature Pad, VESA Mount**  
WF-SIGNPAD-VESA




**Bracket, Scanner, VESA Mount**  
WF-SBRKT-VESA



**Cup Holder, VESA Mount**  
WF-MEDCUP-VESA



**Roll Stand Laptop Security Bracket**  
WF-RLT-SECBRKT



**Laptop Security Bracket**  
WF-CLT-SECBRKT



Contact your TouchPoint Medical representative to learn more and discuss additional accessories specific to your point-of-care application. Visit [touchpointmed.com/contact](https://touchpointmed.com/contact) to get in touch with your local representative.



AccessRx MD™



AccessRx Exchange™



AccessRx Secure™

## Helping to Close the Loop on Medication Administration.

The AccessRx Series of medication delivery carts provides solutions to more securely and efficiently transport and administer medications at the patients' bedside.



	AccessRx MD™	AccessRx Exchange™	AccessRx Secure™
<b>Maximum Number of Bins</b>	12	24	12
<b>Configurable Drawer Options</b>	✓	✓	✓
<b>Exchangeable Medication Cassettes</b>		✓	
<b>Individual Locking Patient Drawers</b>	✓		✓
<b>Software links to the HIS</b>	✓		
<b>Controlled Substance Drawer Option</b>	✓	✓	✓
<b>Patient Bin Assignment</b>	Automatic	Manual	Manual
<b>Antimicrobial Infused Cart Material</b>	✓ PROTECTION THAT LIVES ON <b>MICROBAN™</b>	✓ PROTECTION THAT LIVES ON <b>MICROBAN™</b> <i>*Does not include cassette</i>	✓ PROTECTION THAT LIVES ON <b>MICROBAN™</b>

#### KEY BENEFITS



Individual Locking  
Bins & Drawers



Supports real-time  
BCMA



Supports Centralized  
or Decentralized Medication  
Fill Workflow



Exchangeable  
Medication  
Cassettes



Secure & Track  
Patient Medication



Advanced Li-Nano Technology  
w/ 5 Year Warranty


## Closing the loop of medication delivery between pharmacy and the patient bedside.

AccessRx MD™



### Medication Security & Visibility at the bedside

- Individually locking, patient-specific drawers can be accessed by scanning the patient ID barcode
- Real-time bedside medication administration, barcode patient identification and direct eMAR API access streamlines BCMA process, reduces redundancy and increases accuracy
- Patient drawers automatically assigned using the ADT (Admission/Discharge/Transfer) interface, eliminating time consuming and error-prone manual drawer labeling
- Utilizes the hospital's Active Directory for consistent user authentication
- Configurable drawer display fields allow customization of the user interface



### Streamline Your Workflow

- Secures and tracks patient specific medications for up to 12 patients in individually-locking drawers, reducing trips and time spent at the ADC
- ADT and patient orders transmitted via wireless network to the cart to facilitate faster medication delivery
- Reduce trips to and time spent at the automated dispensing cabinet



## More Control & Flexibility for Pharmacists across a variety of pharmacy distribution models

- Browser-based AccessManager™ console provides access to reports while allowing for Active Directory-compatible user management, fleet management and system configuration
- Configurable, time-based access controls reduce the risk of medication administration at an incorrect time and aid in pharmacy reconciliation for unused medications
- Optional medications orders interface – Rx MD can act as a patient medication order filler and verify that an order has been administered.
- Secure Pharmacy email alerts for transferred & discharged patients



## Scalable & Centralized Software Architecture and Integration

- Multi-Org - scalable architecture - ability to scale from two bed clinic to multi facility health system
- Ability to set up health system access rights, such as by department
- Enterprise reporting available
- Enterprise multi-facility deployment
- HL7 compliant, ADT interface (patient demographics), and RDE interface (Pharmacy approved orders)
- Configurable interface engine easily communicates with the HIS
- Project management, installation and training by TouchPoint Medical's professional services team

## Configure your system to meet your medication and supply requirements.



### Dimensions

Width  
Height  
Depth  
Volume

	102mm (4in) Drawer Specifications	152mm (6in) Drawer Specifications	Controlled Substance Full Width Drawer Specifications
Width	91.4mm (3.6in)	142.2mm (5.6in)	271.8mm (10.7in)
Height	238.8mm (9.4in)	238.8mm (9.4in)	228.6mm (9in)
Depth	55.9mm (2.2in)	55.9mm (2.2in)	50.8mm (2in)
Volume	1213cm <sup>3</sup> (74in <sup>3</sup> )	1885cm <sup>3</sup> (115in <sup>3</sup> )	3195cm <sup>3</sup> (195in <sup>3</sup> )



Driving efficiency & security with your  
centralized medication distribution.

AccessRx Exchange™



### AccessRx Exchange™ Workstation on Wheels

- Restock easily wherever your need. Can easily be filled in the pharmacy and exchanged or directly at the cart.
- Key lock or eLock security options
- Easily retrofit your existing AccessPoint™ workstation on-site with the Exchange Cassette system
- May be added to powered or non-powered carts
- Works with both manual and electric lift carts



### Exchangeable Cassettes


- Restock easily and directly on the mobile workstation or wall mount
- Available in two, three or four tier sizes & multiple bin sizes and supply drawer options
- Load rated up to 2.2kg (5.5lbs) per tier
- Compact footprint fits 600mm x400mm cart or (ISO 3394 modular systems) cabinet



### Transfer Carts

- All transfer carts include locking tambour door
- All transfer carts include extended handle
- Lock options include key lock or e-lock
- Single width, front loading option
- Double width, side loading option





### Designed to support your storage and workflow preferences

- Support in-room med station workflows and storage with the cassette wall-mounting kit.
- Key lock or eLock security options



### Easily adapt your existing AccessPoint™ fleet with the AccessRx Exchange™ system

- Retrofit your existing workstations on-site with minimal downtime
- May be added to powered or non-powered carts
- Works with both manual and electric lift carts



### Flexible Locking Options

#### Push Button eLock Features:

- 20 codes per lock: 19 User codes and one Supervisor code, code length is 4-8 digits
- 7500 cycles (extended battery life)
- ADA compliant
- Low battery indicator
- Battery compartment is easily accessible from outside of the cassette

#### Key Lock Features:

- Removable lock core
- Unique lock/key series for cassette carrier, cassettes, and controlled substance drawer for enhanced security
- Side shuttered lock with symmetrical keying

Store and secure your medications to  
the bedside.

AccessRx Secure™








### Secure your medications throughout your workflow

- Individual locking drawers
- Easy-to-use software
- Storage configurations to secure a variety of medications and controlled substances
- Smoked polycarbonate 4" & 6" drawers
- Aluminum locking storage and controlled substance drawers
- Configurable drawer display fields allow customization of the user interface
- Add AccessRx MD™ software options to existing AccessRx Secure™ carts for a scalable, custom solution




## Configure your system to meet your medication and supply requirements.

With a wide offering of sizes and locking options, you can have peace of mind knowing your medications and supplies are securely stored to your requirements.



### Supply Bin & Drawer Options

					
Locking Options	eLock	eLock	Key Lock	eLock or Key Lock	eLock or Key Lock
Capacity	6 per Tier	4 per Tier	1 per Tier	1 per 2 Tiers	2 per 2 Tiers
Dimensions Width Height Depth	80mm (3.2in) 75mm (3in) 338mm (13.3in)	120mm (3.2in) 75mm (3in) 338mm (13.3in)	480mm (18.9in) 75mm (3in) 338mm (13.3in)	80mm (3.2in) 75mm (3in) 338mm (13.3in)	80mm (3.2in) 75mm (3in) 338mm (13.3in)


### Exchange Cassette Options

	 2-Tier	 3-Tier	 4-Tier
Locking Options	Key or eLock	Key or eLock	Key or eLock
Dimensions Width Height Depth	595mm (24.4in) 244mm (9.6in) 395mm (15.6in)	595mm (24.4in) 393mm (13.4in) 395mm (15.6in)	595mm (24.4in) 454mm (17.9in) 395mm (15.6in)

### Transfer Cart Dimensions

	 Single Width Transfer Cart	 Double Width Transfer Cart
Dimensions Width Height Depth	710mm (28in) 1452mm (57.2in) 591mm (23.3in)	1020mm (40.2in) 1464mm (57.6in) 791mm (31.1in)

### Bin Accessories

	 Identification Label Kits	 Divider Kits
	Clear snap-on label covers make changing identification labels quick and easy	Bins accommodate up to 11 dividers each



Contact your TouchPoint Medical representative to learn more and discuss additional accessories specific to your point-of-care application. Visit [touchpointmed.com/contact](https://touchpointmed.com/contact) to get in touch with your local representative.



## AccessPoint™

Securely and reliably mobilize your medical equipment throughout your facility.

The AccessPoint™ Equipment Carts offer stable and robust design so you can confidently mobilize and operate your essential medical equipment.



	APQ-CFH39-1	APQ-CFH39-2	APQ-CFH33-1	APQ-CFH33-2
<b>Cart Surface Height</b>	99cm (39in)	99cm (39in)	84cm (33in)	84cm (33in)
<b>Cart Capacity</b>	up to 65kg (143lbs)			
<b>Drawer Load Capacity</b>	3kg (6.6lbs)			
<b>Cart Footprint</b>	530mm(20.8in) width x 610mm(24in) depth			
<b>Construction</b>	Aluminum construction provides a high load bearing capacity of 65kg (143lbs) despite the low weight of the cart. High bending and torsion resistance.			
<b>Casters</b>	4 x 10cm (4in), lockable twin casters. Suitable for all flooring.			
<b>Material</b>	Anodized / powder-coated			

#### KEY BENEFITS



Easy  
Maneuverability



Robust  
Construction



Secure & Organized  
Cable Management



Modular Platform for  
many Applications




Highly Stable  
Wheel Base



Easy to  
Clean

## Smart Cable Management.

Designed with safety and efficiency in mind, these carts include our Smart Cable Management Center Support Column to easily access organized and secure cable routing.



Close-up: support extrusions center column cable channel



**Our center support column provides you with the following benefits:**

- Keeps all cords clean and out of sight
- Ensures separate and secure cable routing
- Easy snap-open access to cables at any point in its routing
- Optional column mounted socket strip allows for easy cord control and access

AccessPoint™ Equipment Carts can be used for any number of applications within a clinical setting, such as in anesthesia, physiotherapy, ultrasound diagnostics and more.



## Everything you need - Accessible and Available.

Our accessories help improve your workflow with effective ways to store, hold, and secure the items you rely on everyday.



**Shelf**  
**Load Capacity:**  
**20kg (44lbs)**  
APQ-SHELF



**Cable Winder**  
APQ-CBLWNR



**Socket Strips**  
Country Specific



**Metal Wire  
Storage Basket**  
APQ-STRBSKT



**Adjustable IV Pole**  
APQ-IVPOLE



Contact your TouchPoint Medical representative to learn more and discuss additional accessories specific to your point-of-care application. Visit [touchpointmed.com/contact](https://touchpointmed.com/contact) to get in touch with your local representative.



## AccessMount™

### Technology within reach.

Versatile configurations and reliable design securely manage your equipment so you can be free to focus on delivering exceptional patient care.





AccessMount™	Documentation Station, Height Adjustable	Monitor Arm	Documentation Station, Pivoting	Tablet Surface Mount
Maximum Load Capacity	14kgs (30.8lbs)	8kgs (17lbs)	14kgs (30.8lbs)	0.75kgs (1.58lbs)
VESA® 75/100 Mount	✓	✓	✓	
Keyboard & Mouse Tray Option	✓		✓	
Concealed Cable Management	✓	✓	✓	✓
Variable Height Adjustment	✓	✓		✓
Extension Arm Option		✓	✓	

Strong support. Flexible design. Reliable positioning.

#### KEY BENEFITS



Concealed Cable Management



Easy Cleaning



Easy Mounting  
Wall Track Options



Variety of Configurations



Reliable Positioning  
Technology



Extension Arm  
Options

Secure your technology easily and reliably with our range of mounting solutions.



#### DOCUMENTATION STATION, HEIGHT ADJUSTABLE

Part Number	Length	Pivot Arm	VESA® Mount	Load Rating	Vertical Adjustment Range	Keyboard/Mousepad
AM-HDMA	300mm (11.8in)	No	VESA® 75/100	8-14kgs (17.6-30.8lbs)	460mm (18.1in)	No
AM-HDMA-KM	300mm (11.8in)	No	VESA® 75/100	8-14kgs (17.6-30.8lbs)	460mm (18.1in)	Yes

**Mounting:** Mount to wall with any AccessMount™ support extrusion



#### MONITOR ARM

Part Number	Length	Pivot Arm	VESA® Mount	Load Rating	Vertical Adjustment Range	Keyboard/Mousepad
AM-MA	225mm (8.9in)	No	VESA® 75/100	0-8kgs (0-17.6lbs)	344mm (13.5in)	No
AM-MA-EA	225mm (8.9in)	Yes 250mm (9.8in)	VESA® 75/100	0-8kgs (0-17.6lbs)	344mm (13.5in)	No

**Mounting:** Mount to wall with any AccessMount™ support extrusion



#### DOCUMENTATION STATION, PIVOTING

Part Number	Length	Pivot Arm	VESA® Mount	Load Rating	Vertical Adjustment Range	Keyboard/Mousepad
AM-PA	250mm (9.8in)	No	VESA® 75/100	0-14kgs (0-30.8lbs)	N/A	No
AM-PA-EA	250mm (9.8in)	Yes 250mm (9.8in)	VESA® 75/100	0-14kgs (0-30.8lbs)	N/A	No
AM-PA-KM	250mm (9.8in)	No	VESA® 75/100	0-14kgs (0-30.8lbs)	N/A	Yes
AM-PA-EAKM	250mm (9.8in)	Yes 250mm (9.8in)	VESA® 75/100	0-14kgs (0-30.8lbs)	N/A	Yes

**Mounting:** Mount to wall with any AccessMount™ support extrusion



#### TABLET SURFACE MOUNT

Part Number	Length	Tablet Width	Tablet Thickness	Load Rating	Mounting Surface Thickness
AM-TABMNT-S	225mm (8.9in)	146-200mm (5.75in - 8.66in)	7-11mm (.276in - .433in)	0.75kgs (1.58lbs)	40mm (1.58in)

**Mounting:** Easy-to-use, quick adjustment with self-contained tool.



## Mount equipment at the ideal height for virtually every application

### Support Extrusion Features

- Accommodates all AccessMount™ arms.
- Wall arms easily slide in extrusion tracks and secure with minimal tooling
- Extrusions install directly on the wall
- Two T-slots with thread plates (grid 32mm) on the front of the profile can accommodate system components and accessories including shelves, drawers, keyboard holders or standard runners.
- Cable routing for any cables supplying power to units
- High Profile accommodates electrical components, such as socket strips
- Smooth surface moulding is easily wiped clean
- Small gaps help prevent germ formation
- Material: aluminum, natural anodized

### SUPPORT EXTRUSION LOW PROFILE

Part Number	Length	Load Rating
AM-TRACK-LP24	640mm (2ft)	50kgs (110lbs)
AM-TRACK-LP36	960mm (3ft)	75kgs (165lbs)
AM-TRACK-LP48	1280mm (4ft)	75kgs (165lbs)

Included: 2 tapped strips, 2 caps (top and bottom), cover strips (depending on length) including mounting hardware

### SUPPORT EXTRUSION HIGH PROFILE

Part Number	Length	Load Rating
AM-TRACK-HP24	640mm (2ft)	50kgs (110lbs)
AM-TRACK-HP36	960mm (3ft)	100kgs (220lbs)
AM-TRACK-HP48	1280mm (4ft)	125kgs (275lbs)


Included: 1 support extrusion with 2 tapped strips, mounting grid, 32 mm in both front T-slots, 2 caps (top and bottom), including mounting hardware



If you require different installation such as DIN rail mounting, please contact your local TouchPoint Medical Representative or email us at [info@touchpointmed.com](mailto:info@touchpointmed.com)

## A Global Business with a Local Touch

TouchPoint Medical brings a global network of manufacturing, quality, and engineering to the forefront of the medical industry. From quality and performance, to aesthetics and ergonomics, we know small touches make a big difference to our customers. We provide customer-driven medical technology and service solutions to thousands of hospitals and health care facilities around the world.



**Global Headquarters & Americas**  
Customer and Technical  
Support Office  
Odessa, FL, USA  
Tel: (1) 800 947 3901

**European Headquarters**  
Customer and Technical  
Support Office  
Kruibeke, Belgium  
Tel: (32) 3 568 33 00

**China, Taiwan, Japan,  
Korea, Hong Kong**  
Customer and Technical  
Support Office  
Shanghai, China  
Tel: (86) 1361 1680 312

**United Kingdom**  
Customer and Technical  
Support Office  
Rugby, United Kingdom  
Tel: (44) (0) 844 576 1247

**Middle East / Africa**  
Customer and Technical  
Support Office  
Dubai, United Arab Emirates  
Tel: (971) 55 5963 092

**SE Asia, AUS/NZ**  
Customer and Technical  
Support Office  
Victoria, Australia  
Tel: (61) 3 9330 5050

**Norway, Sweden,  
Denmark, Finland**  
Customer and Technical  
Support Office  
Tranby, Norway  
Tel: (47) 31 90 97 60

info@touchpointmed.com · touchpointmed.com

*BRINGING CARE FORWARD.™*